



# HEAT TRANSFER INK SUPER FLEX C-301

SUPER FLEX C-301 is a screen printing ink which is for heat transfer of cotton,nylon, polyester, polyurethan clothes. It has the stretching and washable.

■USEFUL : Cotton, Nylon, Polyester, Polyurethan clothes.

■FEATURES : It has the stretching because this finishing is rubber feeling and washable.

■USING : Please use our transfer paper and film and prepare the squeegee shore 65-70 degree.

1. Printing C-301 medium. Using mesh is #150mesh.  
If repelling the ink, Please put the unifomer 0.5% in and mix it.
2. Printing deep colors : C-301 ink. ( Using mesh is #150-200mesh )
3. Printing white color. ( Using mesh is #150mesh ) On demands more opaque white,printing 2-3times.
4. If you need more stretching, printing C-301 medium 1-2 times.
5. Printing C-301 bond. ( Using mesh is #120-150mesh )  
If you need more adhesion, printing 1 time more.  
Against Nylon clothes treated the water-proof,  
Please mix the hot melt powder with this and printing.
6. Drying, By hot air dry or heat dry ( 80-100degree ), please do.
7. Heat press  
Cotton clothes : 150-160Degree / 5-6 seconds, Cool down it and peel off. Press again 2-3 seconds.  
Nylon clothes : Press the substraight in 170degree in a short time.  
170Degree / 5-6 seconds. Cool down it and peel off.  
Press again 2-3 seconds.

■STANDARD COLOR

C-301 : white, yellow, red, blue, black

C-301 : medium

C-301 : bond

Transfer film : 460x570mm 100sheet/lot

Transfer paper : 400x550mm 100sheet/lot

■NOTE

Please don't use the iron press again after printing because of the heat sensibility.Nylon clothes, Pre-press to the substraight because Nylon stretching character.Heat transfer, Please do the test well because it is different from various substraight character before printing.

■Please advise in freely.

■SPEC We will revise & improve without informing

SCREEN PRINTING MACHINE & MATERIAL  
**MINOSHOJI CO.,LTD.**  
<http://www.minoshoji.co.jp>

HEAD OFFICE/648 Yakushi-cho Nijyo-agaru Nishinotoin Nakagyo-ku,Kyoto,JAPAN  
TOKYO OFFICE/6-2-14 Honkomagome Bunkyo-ku,Tokyo,JAPAN  
OSAKA OFFICE/3-3-10 Shinmachi Nishi-ku,Osaka,JAPAN  
UJI FACTORY/58 Nakagawara Makishimacho Uji,Kyoto,JAPAN

**SGIA**



12.2005

MSA-OS-3073

JAB

ISO9001/2000

MSA-ES-481

ISO14001/2004

TEL0081-75-211-4416 FAX0081-75-211-4497  
TEL0081-3-3947-0505 FAX0081-3-3947-0952  
TEL0081-6-6532-3855 FAX0081-6-6533-0030  
TEL0081-774-23-5333 FAX0081-774-24-1916